Author Index Vol. 697

Allen, P.G., see Kolesar, J.M. 697(1997)189
Amigo, L., see Recio, I. 697(1997)231
Arato, T., see Hiraoka, A. 697(1997)141
Åström, O., see Persson, K. 697(1997)207
Bauw, G., see Davey, M.W. 697(1997)269
Bihoreau, N., Ramon, C., Lazard, M. and Schmitter, J.M.
Combination of capillary electrophoresis and matrix-assisted laser desorption ionization mass spectrometry for glycosylation analysis of a human monoclonal anti-Rhesus(D) antibody 697(1997)123
Bose, S., Yang, J. and Hage, D.S.
Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77
Chen, C., Jeffery, D., Jorgenson, J.W., Moseley, M.A. and Pollack, G.M.
Sensitive analysis of [D-Pen^{2,5}]enkephalin in rat serum by capillary electrophoresis and laser-induced fluorescence detection 697(1997)149
Cho, B.-Y., Strong, R., Fate, G. and Krull, I.S.
High-performance capillary electrophoresis of a fermentation-derived cyclic peptide analog, animal growth promoter 697(1997)163
Cummins, C.L., O'Neil, W.M., Soo, E.C., Lloyd, D.K. and Wainer, I.W.
Determination of *p*-aminosalicylic acid and its *N*-acetylated metabolite in human urine by capillary zone electrophoresis as a measure of in vivo *N*-acetyltransferase 1 activity 697(1997)283
Cutlip, R.C., see Schmerr, M.J. 697(1997)223
Davey, M.W., Bauw, G. and Van Montagu, M.
Simultaneous high-performance capillary electrophoresis analysis of the reduced and oxidised forms of ascorbate and glutathione 697(1997)269
Dawson, L.A.
Capillary electrophoresis and microdialysis: current technology and applications (Review) 697(1997)89
De Fabo, E.C., see Phillips, T.M. 697(1997)101
Denton, K.A. and Tate, S.A.
Capillary electrophoresis of recombinant proteins 697(1997)111
Doran, C.M., see Kolesar, J.M. 697(1997)189
Eguchi, N., see Hiraoka, A. 697(1997)141
Fate, G., see Cho, B.-Y. 697(1997)163
Fuchs, M., see Schmalzing, D. 697(1997)175
Gallion-Renault, C., see Levêque, D. 697(1997)67
Gelfi, C., see Righetti, P.G. 697(1997)195
Grune, T., see Ullrich, O. 697(1997)243
Guzman, N.A., Park, S.S., Schaufelberger, D., Hernandez, L., Paez, X., Rada, P., Tomlinson, A.J. and Naylor, S.
New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37
Hage, D.S., see Bose, S. 697(1997)77
Hernandez, L., see Guzman, N.A. 697(1997)37
Hiraoka, A., Arato, T., Tominaga, I., Eguchi, N., Oda, H. and Urade, Y.
Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis 697(1997)141
Hjerpe, A., see Karamanos, N.K. 697(1997)277
Hoogmartens, J., see Van Schepdael, A. 697(1997)251
Ishioka, N., Kogure, T. and Kurosu, Y.
Detection of a genetic variant, lysine → glutamic acid at position 372 of human serum albumin, by capillary electrophoresis and structural identification 697(1997)135
Jeffery, D., see Chen, C. 697(1997)149
Jehl, F., see Levêque, D. 697(1997)67
Jenny, A., see Schmerr, M.J. 697(1997)223
Jorgenson, J.W., see Chen, C. 697(1997)149
Karamanos, N.K. and Hjerpe, A.
High-performance capillary electrophoretic analysis of hyaluronan in effusions from human malignant mesothelioma 697(1997)277
Kennedy, L.M., see Phillips, T.M. 697(1997)101
Klein, T.L., see Weber, P.L. 697(1997)263
Kogure, T., see Ishioka, N. 697(1997)135
Kolesar, J.M., Allen, P.G. and Doran, C.M.
Direct quantification of HIV-1 RNA by capillary electrophoresis with laser-induced fluorescence 697(1997)189
Koutny, L.B., see Schmalzing, D. 697(1997)175
Krull, I.S., see Cho, B.-Y. 697(1997)163
Kubo, K.
Separation of components of human globulins by capillary zone electrophoresis using a linear polyacrylamide-coated capillary 697(1997)217
Kurosu, Y., see Ishioka, N. 697(1997)135
Lazard, M., see Bihoreau, N. 697(1997)123
Lehmann, R., Voelter, W. and Liebich, H.M.
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3
Levêque, D., Gallion-Renault, C., Monteil, H. and Jehl, F.
Capillary electrophoresis for pharmacokinetic studies (Review) 697(1997)67
Liebich, H.M., see Lehmann, R. 697(1997)3
Lim, B.C., see Sim, M.K. 697(1997)259
Lloyd, D.K., see Cummins, C.L. 697(1997)283
López-Fandiño, R., see Recio, I. 697(1997)231
Lunte, S.M., see Weber, P.L. 697(1997)263
Malis, M., see Weber, P.L. 697(1997)263
Mascher, W.G., see Strege, M.A. 697(1997)255
Monteil, H., see Levêque, D. 697(1997)67
Moseley, M.A., see Chen, C. 697(1997)149
Nashabeh, W., see Schmalzing, D. 697(1997)175
Naylor, S., see Guzman, N.A. 697(1997)37
Oda, H., see Hiraoka, A. 697(1997)141

O'Neil, W.M., see Cummins, C.L. 697(1997)283
Paez, X., see Guzman, N.A. 697(1997)37
Palmer, S.D., see Weber, P.L. 697(1997)263
Park, S.S., see Guzman, N.A. 697(1997)37
Persson, K. and Åström, O.
Fractional factorial design optimization of the separation of pilocarpine and its degradation products by capillary electrophoresis 697(1997)207
Peterson, C.B., see Stebbins, M.A. 697(1997)181
Phillips, T.M., Kennedy, L.M. and De Fabo, E.C.
Microdialysis–immunoaffinity capillary electrophoresis studies on neuropeptide-induced lymphocyte secretion 697(1997)101
Pollack, G.M., see Chen, C. 697(1997)149
Rada, P., see Guzman, N.A. 697(1997)37
Ramon, C., see Bihoreau, N. 697(1997)123
Recio, I., Amigo, L. and López-Fandiño, R.
Assessment of the quality of dairy products by capillary electrophoresis of milk proteins 697(1997)231
Righetti, P.G. and Gelfi, C.
Non-isocratic capillary electrophoresis for detection of DNA point mutations (Review) 697(1997)195
Schar, C.R., see Stebbins, M.A. 697(1997)181
Schaufelberger, D., see Guzman, N.A. 697(1997)37
Schmalzing, D., Koutny, L.B., Taylor, T.A., Nashabeh, W. and Fuchs, M.
Immunoassay for thyroxine (T4) in serum using capillary electrophoresis and micromachined devices 697(1997)175
Schmerr, M.J., Jenny, A. and Cutlip, R.C.
Use of capillary sodium dodecyl sulfate gel electrophoresis to detect the prion protein extracted from scrapie-infected sheep 697(1997)223
Schmitter, J.M., see Bihoreau, N. 697(1997)123
Sepaniak, M.J., see Stebbins, M.A. 697(1997)181
Sim, M.K. and Lim, B.C.
Determination of aminopeptidase X activity in tissues of normo- and hypertensive rats by capillary electrophoresis 697(1997)259
Soo, E.C., see Cummins, C.L. 697(1997)283
Stebbins, M.A., Schar, C.R., Peterson, C.B. and Sepaniak, M.J.
Temporal analysis of DNA restriction digests by capillary electrophoresis 697(1997)181
Strege, M.A. and Mascher, W.G.
Analysis of trifluoroacetic acid in lyophilized natural products by capillary electrophoresis 697(1997)255
Strong, R., see Cho, B.-Y. 697(1997)163
Tate, S.A., see Denton, K.A. 697(1997)111
Taylor, T.A., see Schmalzing, D. 697(1997)175
Tominaga, I., see Hiraoka, A. 697(1997)141
Tomlinson, A.J., see Guzman, N.A. 697(1997)37
Ullrich, O. and Grune, T.
Detection of 8-hydroxydeoxyguanosine in K562 human hematopoietic cells by high-performance capillary electrophoresis 697(1997)243
Urade, Y., see Hiraoka, A. 697(1997)141
Van Montagu, M., see Davey, M.W. 697(1997)269
Van Nerom, C., see Van Schepdael, A. 697(1997)251
Van Schepdael, A., Verbeke, K., Van Nerom, C., Hoogmartens, J. and Verbruggen, A.
Capillary electrophoretic analysis of ethylene dicysteine, a precursor of the radiopharmaceutical ^{99m}Tc ethylene dicysteine 697(1997)251
Verbeke, K., see Van Schepdael, A. 697(1997)251
Verbruggen, A., see Van Schepdael, A. 697(1997)251
Voelter, W., see Lehmann, R. 697(1997)3
Wainer, I.W., see Cummins, C.L. 697(1997)283
Weber, P.L., Malis, M., Palmer, S.D., Klein, T.L. and Lunte, S.M.
Capillary zone electrophoresis separation of tryptophan and its metabolites, including quinolinic acid 697(1997)263
Yang, J., see Bose, S. 697(1997)77

Compound Index Vol. 697

N-Acetyl-p-aminosalicylic acid
Determination of *p*-aminosalicylic acid and its *N*-acetylated metabolite in human urine by capillary zone electrophoresis as a measure of in vivo *N*-acetyltransferase 1 activity
697(1997)283

N-Acetyltransferase
Determination of *p*-aminosalicylic acid and its *N*-acetylated metabolite in human urine by capillary zone electrophoresis as a measure of in vivo *N*-acetyltransferase 1 activity
697(1997)283

α_1-Acid glycoprotein
Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis
697(1997)141

Amino acids
Capillary electrophoresis in clinical chemistry (Review)
697(1997)3

Aminopeptidase
Determination of aminopeptidase X activity in tissues of normo- and hypertensive rats by capillary electrophoresis
697(1997)259

p-Aminosalicylic acid
Determination of *p*-aminosalicylic acid and its *N*-acetylated metabolite in human urine by capillary zone electrophoresis as a measure of in vivo *N*-acetyltransferase 1 activity
697(1997)283

Anti-Rhesus(D) monoclonal antibodies
Combination of capillary electrophoresis and matrix-assisted laser desorption ionization mass spectrometry for glycosylation analysis of a human monoclonal anti-Rhesus(D) antibody
697(1997)123

Ascorbic acid
Simultaneous high-performance capillary electrophoresis analysis of the reduced and oxidised forms of ascorbate and glutathione
697(1997)269

Biopolymers
New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37

Caseins
Assessment of the quality of dairy products by capillary electrophoresis of milk proteins (Review) 697(1997)231

Cyclodextrins
Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77

Dehydroascorbic acid
Simultaneous high-performance capillary electrophoresis analysis of the reduced and oxidised forms of ascorbate and glutathione
697(1997)269

DNA
Capillary electrophoresis in clinical chemistry (Review)
697(1997)3

Temporal analysis of DNA restriction digests by capillary electrophoresis 697(1997)181

Non-isocratic capillary electrophoresis for detection of DNA point mutations (Review) 697(1997)195

Drugs
Capillary electrophoresis in clinical chemistry (Review)
697(1997)3

New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37

Enkephalins
Sensitive analysis of [D-Pen^{2,5}]enkephalin in rat serum by capillary electrophoresis and laser-induced fluorescence detection
697(1997)149

Enzymes
New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37

Determination of aminopeptidase X activity in tissues of normo- and hypertensive rats by capillary electrophoresis
697(1997)259

Determination of *p*-aminosalicylic acid and its *N*-acetylated metabolite in human urine by capillary zone electrophoresis as a measure of in vivo *N*-acetyltransferase 1 activity
697(1997)283

Ethylene dicysteine
Capillary electrophoretic analysis of ethylene dicysteine, a precursor of the radiopharmaceutical ^{99m}Tc ethylene dicysteine 697(1997)251

Globulins
Separation of components of human globulins by capillary zone electrophoresis using a linear polyacrylamide-coated capillary 697(1997)217

Glutamic acid
Detection of a genetic variant, lysine → glutamic acid at position 372 of human serum albumin, by capillary electrophoresis and structural identification 697(1997)135

Glutathione
Simultaneous high-performance capillary electrophoresis analysis of the reduced and oxidised forms of ascorbate and glutathione 697(1997)269

Glutathione disulphide
Simultaneous high-performance capillary electrophoresis analysis of the reduced and oxidised forms of ascorbate and glutathione 697(1997)269

Glycopeptides
Combination of capillary electrophoresis and matrix-assisted laser desorption ionization mass spectrometry for glycosylation analysis of a human monoclonal anti-Rhesus(D) antibody 697(1997)123

Hemoglobin
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3

Hormones
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3

Human serum albumin
Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77

Detection of a genetic variant, lysine → glutamic acid at position 372 of human serum albumin, by capillary electrophoresis and structural identification 697(1997)135

Hyaluronan
High-performance capillary electrophoretic analysis of hyaluronan in effusions from human malignant mesothelioma 697(1997)277

8-Hydroxydeoxyguanosine
Detection of 8-hydroxydeoxyguanosine in K562 human hematopoietic cells by high-performance capillary electrophoresis 697(1997)243

Ions
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3

Isopilocarpic acid
Fractional factorial design optimization of the separation of pilocarpine and its degradation products by capillary electrophoresis 697(1997)207

Isopilocarpine
Fractional factorial design optimization of the separation of pilocarpine and its degradation products by capillary electrophoresis 697(1997)207

Lectin
New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37

Lipoproteins
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3

Lysine
Detection of a genetic variant, lysine → glutamic acid at position 372 of human serum albumin, by capillary electrophoresis and structural identification 697(1997)135

Metabolites
New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37

β_2-Microglobulin
Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis 697(1997)141

Myelin basic protein
Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis 697(1997)141

Neuropeptides
Microdialysis–immunoaffinity capillary electrophoresis studies on neuropeptide-induced lymphocyte secretion 697(1997)101

Nitrophenols
Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77

Peptides
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3

Microdialysis–immunoaffinity capillary electrophoresis studies on neuropeptide-induced lymphocyte secretion 697(1997)101

Sensitive analysis of [D-Pen^{2,5}]enkephalin in rat serum by capillary electrophoresis and laser-induced fluorescence detection 697(1997)149

Pilocarpic acid
Fractional factorial design optimization of the separation of pilocarpine and its degradation products by capillary electrophoresis 697(1997)207

Pilocarpine
Fractional factorial design optimization of the separation of pilocarpine and its degradation products by capillary electrophoresis 697(1997)207

Prion protein
Use of capillary sodium dodecyl sulfate gel electrophoresis to detect the prion protein extracted from scrapie-infected sheep 697(1997)223

Proteins
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3

Capillary electrophoresis of recombinant proteins (Review) 697(1997)111

Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis 697(1997)141

Use of capillary sodium dodecyl sulfate gel electrophoresis to detect the prion protein extracted from scrapie-infected sheep 697(1997)223

Assessment of the quality of dairy products by capillary electrophoresis of milk proteins (Review) 697(1997)231

Quinolinic acid
Capillary zone electrophoresis separation of tryptophan and its metabolites, including quinolinic acid 697(1997)263

Recombinant proteins
Capillary electrophoresis of recombinant proteins (Review) 697(1997)111

RNA
Direct quantification of HIV-1 RNA by capillary electrophoresis with laser-induced fluorescence 697(1997)189

Sulfomycin
High-performance capillary electrophoresis of a fermentation-derived cyclic peptide analog, animal growth promoter 697(1997)163

Thyroxine
Immunoassay for thyroxine (T4) in serum using capillary electrophoresis and micromachined devices 697(1997)175

β-Trace protein
Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis 697(1997)141

Trifluoroacetic acid
Analysis of trifluoroacetic acid in lyophilized natural products by capillary electrophoresis 697(1997)255

Tryptophan
Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77

Capillary zone electrophoresis separation of tryptophan and its metabolites, including quinolinic acid 697(1997)263

Vitamins
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3